

Oulu, et al.
Appl. No.: Unknown Atty Docket: MERCURY.199DV1



Oulu, et al.

Appl. No.: Unknown Atty Docket: MERCURY.199DV1




Appl. No.: Unknown Atty Docket: MERCURY.199DV1

<u>File Edit View Go Favorite H</u> elp
Back Forw Stop Refresh Home Search Favorite Print Font Mail
Address
Consol
ExpandAll Clear Selections Reload Counters Cancel
(Click the 🛨 to expand, and the 🗖 to collapse).
Choose Counters
☑ □ J2EE: Web
☑ ± group: JSP
☑ ± group: Servlet
☑ ☐ J2EE: EJB
✓ ± group: EntityBean
☑
☑ □ class: com.sun.j2ee.blueprints.shoppingcart.ejb.ShoppingCartEJB
✓ ± Method: void addItem(String)
☑ ± Method: void addltem(String.int)
✓ ± Method: void deleteltem(String)
✓ + Method: void ejbActivate()
✓ ± Method: void ejbCreate() ✓ ± Method: void ejbCreate(HashMap)
✓ ★ Method: void ejbCredie(ridshindp)
☑ ± Method: void ejbRemove()
☑ ± Method: void empty()
☑ ± Method: ShoppingCartModel getDetails(Locale)
✓ ± Method: void setSessionContext(SessionContext)
✓ ± Method: void updateltemQty(String,int)
☑ ± class: com.sun.j2ee.blueprints.shoppingcart.catalog.ejb.CatalogEJB ☑ ± class: com.sun.j2ee.blueprints.customer.customer.ejb.CustomerEJB
✓ □ J2EE: DB
✓ ±group: JDBC
☑ ☐ J2EE: JNDI
Choose Counters

Appl. No.: Unknown Atty Docket: MERCURY.199DV1


4/11



Oulu, et al.

Appl. No.: Unknown Atty Docket: MERCURY.199DV1


5/11



Oulu, et al.

Appl. No.: Unknown Atty Docket: MERCURY.199DV1

6/11



Appl. No.: Unknown Atty Docket: MERCURY.199DV1


7/11

File Edit View	<sub>ઉ</sub>	Favorite	Help	٩										$\Delta$
A State Stat	Refresh		Home S	Search	Favorite	Mi i	A	Mail						
Address													(c) Go Links »	
per Week	L Aq	Transaction	<b>▶</b>										ڪ	
Start On	Jan.	Jan. 09, 2002 12:00	02 12:0	NA O	<ul><li> </li><li> </li><li> </li></ul>	<b>(</b>	U	Apply		Clear Filters	0	Root Cause Analysis	(S)	
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	E SE	on Breakdown						Period	cod: Jan.	xxxxxxxxxxxxxxxxxxxxxxan. 9, 2002 12:00AN	XXXXXXXIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		   
Profile: SampleReport	leRepor	<del>,</del>										DNS Resolution		
93 total transactions	sactions											Connection	ction 📉	
												Server Time	Time 🗏	
											S	Server/Network Overlap	rle	
												Network Time		
Active filters showing only:	יום סחי		Location New	aw York								Client Time	Time	
	,											Data Table	rable	==
	Size (KB)	Breakdown	OWD	;										
login_user	52.80	<b>X</b>									i v	View Application Server Breakdown	ver Breakdown	_
register_new_user	43.38	<b>XX</b>												=
stock_5day_chart	44.85										; <u>,</u>	View Application Server Breakdown	ver Breakdown	=
symbol_lookup	51.87							$\otimes$						
view_portfolio	45.75													
Milliseconds				2860		5720		8580		11440	14300			
Dis WH	splays lether p	Displays a breakdown of whether poor transaction	down of saction		ction resp se times	onse tim are bein	e by se g cause	rver, networ d by server	k, and clie or networ	transaction response time by server, network, and client times. Use this report to determine response times are being caused by server or network problems, or client delays. More	is report to lient delays	o determine i. More		
									ļ					1


Appl. No.: Unknown Atty Docket: MERCURY.199DV1

8/11

HIG. 6



Appl. No.: Unknown Atty Docket: MERCURY.199DV1



Appl. No.: Unknown Atty Docket: MERCURY.199DV1




FIG. 8A

Appl. No.: Unknown Atty Docket: MERCURY.199DV1




FIG. 8B